



Constellation - Domes

Dimensions

*Dimensions and dome sizes to specification.
Can be configured as round or linear.*

Dome Sizes

6"	200 lumens	7 lbs / 3 kg
8"	300 lumens	8 lbs / 4 kg
10"	400 lumens	9 lbs / 4 kg
12"	500 lumens	10 lbs / 5 kg
14"	600 lumens	12 lbs / 5 kg
18"	800 lumens	16 lbs / 7 kg
22"	1000 lumens	21 lbs / 10 kg

Light

*LED color accuracy 95+ CRI.
2,400–5,000K color temperature by request.
Light output reduced 50% when used with MikroDim.
Bulb life 50K+ hrs (17yrs at 8hrs/day). Relamping available.*

Finishes

*See [Porcelain & Metal Finishes](#).
Inside dome surface must be white, natural, or greyscale.
Darker colors on inside surface diminish light output.*

Mounting

*Standard junction box.
Sloped ceiling by request.
See [Canopy Options](#).*

Dimming

Minimum dimming range 0.1% with OmniDrive X Driver.

Power



*120V | 5–20W per dome.
240–277V available by request.*

Production



*Handmade in Boulder, Colorado.
12–16 week lead time, rush by request.*

Linear



Constellation 3 - Linear - 8, 8, 8 - 47"L





Constellation 3 - Linear - 10, 10, 10 - 49"L





Constellation 3 - Linear - 10, 10, 10 - 54"L



Constellation 3 - Linear - 14, 12, 10 - 49"L



Constellation 3 - Linear - 14, 12, 10 - 56"L



Round

Constellation 3 - Round - 10, 10, 10 - 42"D

